



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

**PHARMACY DATA MANAGEMENT  
 NCPDP VERSION D.0  
 PAYER SHEET**

**\*\* Start of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet \*\***

**GENERAL INFORMATION**

Payer Name: Pharmacy Data Management, Inc.		Date: July 2011
Plan Name/Group Name: PrimeTime Health Plan PrimeTime Prescription Drug Plan	BIN: 610020	PCN: MEDD0435 PCN: MEDDWRAP
Processor: Pharmacy Data Management, Inc.		
Effective as of: January 1, 2012	NCPDP Telecommunication Standard Version/Release #: D.0	
NCPDP Data Dictionary Version Date: 01/01/2010	NCPDP External Code List Version Date: 01/01/2010	
Contact/Information Source: <a href="http://www.pdmi.com">www.pdmi.com</a>		
Certification Testing Window: 08/01/2011 through 01/01/2012		
Certification Contact Information: <a href="mailto:ncpdp@pdmi.com">ncpdp@pdmi.com</a>		
Provider Relations Help Desk Info: 1-800-800-PDMI (7364)		
Other versions supported: Other versions of 5.1 Telecommunication Standard Supported until 04/01/2012.		

**Important New Requirement:**

**1. Unique BIN / PCN processing of Medicare Part D Claims – Effective 03/07/2012**

PDMI will begin enforcement of "4Rx" Data Validation effective 3/7/2012. This validation will include a review of the BIN, PCN, Cardholder ID, and Group ID submitted on the claim. In the event that the submitted data does not match the information on file, the claim will be rejected using one or more of the following Reject Codes:

- NCPDP Reject 01 - Missing/Invalid BIN
- NCPDP Reject 04 - Missing/Invalid PCN
- NCPDP Reject 06 - Missing/Invalid Group
- NCPDP Reject 07 - Missing/Invalid Cardholder ID

Note: In addition, if claims are submitted using the D.Ø standard, the Coordination of Benefits Response Segment will be returned containing the expected data elements to facilitate resubmission of the claim.

**OTHER TRANSACTIONS SUPPORTED**

**Payer:** Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Billing
B2	Reversal
B3	Re-Bill



**FIELD LEGEND FOR COLUMNS**

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	<b>M</b>	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	<b>R</b>	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	<b>RW</b>	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

**CLAIM BILLING/CLAIM REBILL TRANSACTION**

The following lists the segments and fields in a Claim Billing, Claim Reversal or Claim Rebill Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.Ø.

Transaction HEADER Segment	Check	Claim Billing/Claim Rebill <i>If Situational, Payer Situation</i>
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used	X	

Field #	Transaction HEADER Segment <i>NCPDP Field Name</i>	Value	Payer Usage	Claim Billing/Claim Rebill <i>Payer Situation</i>
1Ø1-A1	BIN NUMBER	610020	M	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER		M	MEDD0435 or MEDDWRAP
1Ø9-A9	TRANSACTION COUNT	1	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFER	01 – NPI	M	
2Ø1-B1	SERVICE PROVIDER ID	NPI	M	
4Ø1-D1	DATE OF SERVICE	Format = CCYYMMDD	M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	Blank	M	



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

Transaction INSURANCE Segment	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Insurance Segment Segment Identification (111-AM) = "04"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID		M	
301-C1	GROUP ID	99990435	R	<i>Imp Guide:</i> Required if necessary for state/federal/regulatory agency programs.  Required if needed for pharmacy claim processing and payment.  <i>Payer Requirement:</i> Varies by Plan & Printed on Id Card
303-C3	PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID.
306-C6	PATIENT RELATIONSHIP CODE	1,2,3	R	<i>Imp Guide:</i> Required if needed to uniquely identify the relationship of the Patient to the Cardholder.
997-G2	CMS PART D DEFINED QUALIFIED FACILITY		RW	<i>Imp Guide:</i> Required if specified in trading partner agreement.  <i>Payer Requirement:</i> May be submitted by Long Term Care Pharmacies

Transaction PATIENT Segment	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent	X	
This Segment is situational		

	Patient Segment Segment Identification (111-AM) = "01"			Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	DATE OF BIRTH		R	
305-C5	PATIENT GENDER CODE		R	
310-CA	PATIENT FIRST NAME			<i>Imp Guide:</i> Required when the patient has a first name.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill	
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
311-CB	PATIENT LAST NAME		R	
3Ø7-C7	PLACE OF SERVICE	1		<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.
384-4X	PATIENT RESIDENCE	1, 3, 4	RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.</p> <p><b>Payer Requirement: Required when the Patient Residence and Pharmacy Service Type submitted are for Long Term Care, Asst Living or Home Infusion processing. Values entered should be consistent with your contract.</b></p> <p><b>Long Term Care Facility Field Combinations:</b>          Place of Service 307-C7 = "1"          Patient Residence 384-4X = "3"          Pharmacy Service Type 147-U7 = "5" or "3" or "1"</p> <p><b>Assisted Living Facility</b>          Place of Service 307-C7 = "1"          Patient Residence 384-4X = "4"          Pharmacy Service Type 147-U7 = "5" or "1"</p> <p><b>Home Infusion Therapy</b>          Place of Service 307-C7 = "1"          Patient Residence 384-4X = "1" or "4"          Pharmacy Service Type 147-U7 = "3"</p>

Transaction CLAIM Segment	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent	X	
This payer supports partial fills		
This payer does not support partial fills	X	

Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER		M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER		M	
4Ø7-D7	PRODUCT/SERVICE ID		M	
442-E7	QUANTITY DISPENSED		R	
4Ø3-D3	FILL NUMBER		R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE		R	See Compound Segment for support of multi-ingredient compounds when compound = 2.
408-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE		R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED		RW	<i>Imp Guide:</i> Required if necessary for plan benefit administration.
419-DJ	PRESCRIPTION ORIGIN CODE		RW	<i>Imp Guide:</i> Required if necessary for plan benefit administration.
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Submission Clarification Code (42Ø-DK) is used.
42Ø-DK	SUBMISSION CLARIFICATION CODE	8,14,15,16,17,18,19	RW	<i>Imp Guide:</i> Required if clarification is needed and value submitted is greater than zero (Ø).
3Ø8-C8	OTHER COVERAGE CODE	2,3,4	RW	<i>Imp Guide:</i> Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers.  Required for Coordination of Benefits.
418-DI	LEVEL OF SERVICE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				patient financial responsibility.
461-EU	PRIOR AUTHORIZATION TYPE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.
147-U7	PHARMACY SERVICE TYPE	1, 3,5,6	RW	<p><i>Imp Guide:</i> Required when the submitter must clarify the type of services being performed as a condition for proper reimbursement by the payer.</p> <p><b>Payer Requirement:</b>  <i>Value 6 should be used when the Pharmacy is contracted as a Mail Order Pharmacy.</i>  <i>Values 1, 3, or 5 required when the Patient Residence and Pharmacy Service Type submitted are for Long Term Care, Asst Living or Home Infusion processing. Values entered should be consistent with your contract.</i></p> <p><b>Long Term Care Facility Field Combinations:</b>  <i>Place of Service 307-C7 = "1"</i>  <i>Patient Residence 384-4X = "3"</i>  <i>Pharmacy Service Type 147-U7 = "5" or "3" or "1"</i></p> <p><b>Assisted Living Facility</b>  <i>Place of Service 307-C7 = "1"</i>  <i>Patient Residence 384-4X = "4"</i>  <i>Pharmacy Service Type 147-U7 = "5" or "1"</i></p> <p><b>Home Infusion Therapy</b>  <i>Place of Service 307-C7 = "1"</i>  <i>Patient Residence 384-4X = "1" or "4"</i>  <i>Pharmacy Service Type 147-U7 = "3"</i></p>



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

Transaction PRESCRIBER Segment	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent	X	
This Segment is situational		

	Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	01 – NPI 12 - DEA	R	<i>Imp Guide:</i> Required if Prescriber ID (411-DB) is used.
411-DB	PRESCRIBER ID		R	<i>Imp Guide:</i> Required if this field could result in different coverage or patient financial responsibility.  Required if necessary for state/federal/regulatory agency programs.  <i>Payer Requirement: NPI or DEA</i>

Transaction COB Segment	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational		<b>MSP</b> not supported electronically at this time. <b>MSP</b> claims are to be submitted directly to Plan via Manual Claim Form.

Transaction DUR/PPS Segment	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent	X	Based on Pharmacy determination for clinical or vaccine issuing
This Segment is situational		

	DUR/PPS Segment Segment Identification (111-AM) = "Ø8"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	Maximum of 9 occurrences.	R	<i>Imp Guide:</i> Required if DUR/PPS Segment is used.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	DUR/PPS Segment Segment Identification (111-AM) = "Ø8"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
439-E4	REASON FOR SERVICE CODE		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.</p> <p>Required if this field affects payment for or documentation of professional pharmacy service.</p>
44Ø-E5	PROFESSIONAL SERVICE CODE		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.</p> <p>Required if this field affects payment for or documentation of professional pharmacy service.</p> <p><i>Payer Requirement:</i> Value = MA (Medication Administered), is required when submitting a claim for vaccine administration</p>
441-E6	RESULT OF SERVICE CODE		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.</p> <p>Required if this field affects payment for or documentation of professional pharmacy service.</p>
474-8E	DUR/PPS LEVEL OF EFFORT		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.</p> <p><i>Payer Requirement:</i> Value of 11, 12, 13, 14, 15 is to be used in compound prescription claim processing for additional reimbursement for Level of Effort.</p>



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

Transaction PRICING Segment	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
409-D9	INGREDIENT COST SUBMITTED		R	
412-DC	DISPENSING FEE SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation.
438-E3	INCENTIVE AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation.  Payer Requirement: <b>Required when submitting a claim for a vaccine drug and administrative fee.</b>
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation.
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation.
483-HE	PERCENTAGE SALES TAX RATE SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis Submitted (484-JE) are used.  Required if this field could result in different pricing.  Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX).
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Rate



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Submitted (483-HE) are used.  Required if this field could result in different pricing.  Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX).
426-DQ	USUAL AND CUSTOMARY CHARGE		R	<i>Imp Guide:</i> Required if needed per trading partner agreement.
43Ø-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION		R	<i>Imp Guide:</i> Required if needed for receiver claim/encounter adjudication.

Transaction Compound Segment	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	This Segment is required when submitting a claim for Multi Ingredient Claim Transaction (Compound Code = 2)

Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER		M	
489-TE	COMPOUND PRODUCT ID		M	
448-ED	COMPOUND INGREDIENT QUANTITY		M	
449-EE	COMPOUND INGREDIENT DRUG COST		R	<i>Imp Guide:</i> Required if needed for receiver claim determination when



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				multiple products are billed.

**\*\* End of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template \*\***

**RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET  
CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE**

**\*\* Start of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template \*\***

**GENERAL INFORMATION**

Payer Name: Pharmacy Data Management, Inc.	Date: July 2011
Plan Name/Group Name:	BIN: 610020 PCN: MEDD0435

**\*\*\*\*\*CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE \*\*\*\*\***

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.Ø.

Response Transaction HEADER Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	M	



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
401-D1	DATE OF SERVICE	Same value as in request	M	

Response MESSAGE Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		R	Imp Guide: Required if text is needed for clarification or detail.

Response STATUS Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction.
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	Imp Guide: Required if Approved Message Code (548-6F) is used.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Status Segment Segment Identification (111-AM) = "21"</b>			<b>Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
548-6F	APPROVED MESSAGE CODE		RW	<i>Imp Guide:</i> Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

Response CLAIM Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response PRICING Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
505-F5	PATIENT PAY AMOUNT		R	
506-F6	INGREDIENT COST PAID		R	
507-F7	DISPENSING FEE PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.
557-AV	TAX EXEMPT INDICATOR		RW	<i>Imp Guide:</i> Required if the sender (health plan) and/or patient are tax exempt and exemption applies to this billing.
558-AW	FLAT SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Pricing Segment Segment Identification (111-AM) = "23"</b>			<b>Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.  Required if Percentage Sales Tax Amount Submitted (482-GE) is greater than zero (Ø).  Required if Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used.
56Ø-AY	PERCENTAGE SALES TAX RATE PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
561-AZ	PERCENTAGE SALES TAX BASIS PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
521-FL	INCENTIVE AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.  Required if Incentive Amount Submitted (438-E3) is greater than zero (Ø).
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.  Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported.
5Ø9-F9	TOTAL AMOUNT PAID		R	



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Pricing Segment Segment Identification (111-AM) = "23"</b>			<b>Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	<i>Imp Guide:</i> Required if Ingredient Cost Paid (5Ø6-F6) is greater than zero (Ø).  Required if Basis of Cost Determination (432-DN) is submitted on billing.
523-FN	AMOUNT ATTRIBUTED TO SALES TAX		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes sales tax that is the financial responsibility of the member but is not also included in any of the other fields that add up to Patient Pay Amount.
512-FC	ACCUMULATED DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only.
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only.
514-FE	REMAINING BENEFIT AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only.
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes deductible
518-FI	AMOUNT OF COPAY		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes copay as patient financial responsibility.
52Ø-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes amount exceeding periodic benefit maximum.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Pricing Segment Segment Identification (111-AM) = "23"</b>			<b>Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
346-HH	BASIS OF CALCULATION— DISPENSING FEE		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill).
347-HJ	BASIS OF CALCULATION— COPAY		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill).
348-HK	BASIS OF CALCULATION—FLAT SALES TAX		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill) and Flat Sales Tax Amount Paid (558-AW) is greater than zero (Ø).
349-HM	BASIS OF CALCULATION— PERCENTAGE SALES TAX		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill) and Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
571-NZ	AMOUNT ATTRIBUTED TO PROCESSOR FEE		RW	<i>Imp Guide:</i> Required if the customer is responsible for 100% of the prescription payment and when the provider net sale is less than the amount the customer is expected to pay.
575-EQ	PATIENT SALES TAX AMOUNT		RW	<i>Imp Guide:</i> Used when necessary to identify the Patient's portion of the Sales Tax.
574-2Y	PLAN SALES TAX AMOUNT		RW	<i>Imp Guide:</i> Used when necessary to identify the Plan's portion of the Sales Tax.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Pricing Segment Segment Identification (111-AM) = "23"</b>			<b>Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
572-4U	AMOUNT OF COINSURANCE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes coinsurance as patient financial responsibility.
573-4V	BASIS OF CALCULATION- COINSURANCE		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill).
392-MU	BENEFIT STAGE COUNT	Maximum count of 4.	RW	<i>Imp Guide:</i> Required if Benefit Stage Amount (394-MW) is used.
393-MV	BENEFIT STAGE QUALIFIER		RW	<i>Imp Guide:</i> Required if Benefit Stage Amount (394-MW) is used.
394-MW	BENEFIT STAGE AMOUNT		RW	<i>Imp Guide:</i> Required when a Medicare Part D payer applies financial amounts to Medicare Part D beneficiary benefit stages. This field is required when the plan is a participant in a Medicare Part D program that requires reporting of benefit stage specific financial amounts.  Required if necessary for state/federal/regulatory agency programs.
577-G3	ESTIMATED GENERIC SAVINGS		RW	<i>Imp Guide:</i> This information should be provided when a patient selected the brand drug and a generic form of the drug was available. It will contain an estimate of the difference between the cost of the brand drug and the generic drug, when the brand drug is more expensive than the generic.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Pricing Segment Segment Identification (111-AM) = "23"</b>			<b>Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
133-UJ	AMOUNT ATTRIBUTED TO PROVIDER NETWORK SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another
134-UK	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND DRUG		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand drug.
135-UM	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a non-preferred formulary product.
136-UN	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand non-preferred formulary product.
137-UP	AMOUNT ATTRIBUTED TO COVERAGE GAP		RW	<i>Imp Guide:</i> Required when the patient's financial responsibility is due to the coverage gap.

<b>Response COB/OTHER PAYERS Segment</b>	<b>Check</b>	<b>Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i></b>
This Segment is always sent		
This Segment is situational	X	Medicare D OHI Data to be returned as well as Valid 4Rx info if 4Rx date is not sent accurately on B1/B3 transaction.

	<b>Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"</b>			<b>Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)</b>



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (34Ø-7C) is used.
34Ø-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
356-NU	OTHER PAYER CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
992-MJ	OTHER PAYER GROUP ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
142-UV	OTHER PAYER PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number of the other payer to the receiver.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

Response DUR/PPS Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	

	Response DUR/PPS Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
530-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Quantity of Previous Fill (531-FV) is used.
531-FV	QUANTITY OF PREVIOUS FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Previous Date Of Fill (530-FU) is used.
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response DUR/PPS Segment Segment Identification (111-AM) = "24"</b>			<b>Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
570-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

\*\*\*\*\*CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE\*\*\*\*\*

Response TRANSACTION HEADER Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response MESSAGE Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail.

Response STATUS Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Status Segment Segment Identification (111-AM) = "21"</b>			<b>Claim Billing/Claim Rebill Accepted/Rejected</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction.
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 5	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

Response CLAIM Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response COB/OTHER PAYERS Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	

	Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (340-7C) is used.
340-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
356-NU	OTHER PAYER CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

	<b>Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"</b>			<b>Claim Billing/Claim Rebill Accepted/Rejected</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
992-MJ	OTHER PAYER GROUP ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
142-UV	OTHER PAYER PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number of the other payer to the receiver.

<b>Response DUR/PPS Segment</b>	<b>Check</b>	<b>Claim Billing/Claim Rebill Accepted/Rejected</b> If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	

	<b>Response DUR/PPS Segment Identification (111-AM) = "24"</b>			<b>Claim Billing/Claim Rebill Accepted/Rejected</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response DUR/PPS Segment Segment Identification (111-AM) = "24"</b>			<b>Claim Billing/Claim Rebill Accepted/Rejected</b>
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
53Ø-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Quantity of Previous Fill (531-FV) is used.
531-FV	QUANTITY OF PREVIOUS FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Previous Date Of Fill (53Ø-FU) is used.
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
57Ø-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

1.1.1 CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

**CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE**

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Claim Billing/Claim Rebill Rejected/Rejected Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	

Field #	Response Message Segment Segment Identification (111-AM) = "20"	Value	Payer Usage	Claim Billing/Claim Rebill Rejected/Rejected Payer Situation
504-F4	MESSAGE		R	<i>Imp Guide:</i> Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Status Segment Segment Identification (111-AM) = "21"	Value	Payer Usage	Claim Billing/Claim Rebill Rejected/Rejected Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Status Segment Segment Identification (111-AM) = "21"</b>			<b>Claim Billing/Claim Rebill Rejected/Rejected</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used.
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.

**\*\* End of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template\*\***



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

## 2. NCPDP VERSION D CLAIM REVERSAL TEMPLATE

### 2.1 REQUEST CLAIM REVERSAL PAYER SHEET TEMPLATE

#### \*\* Start of Request Claim Reversal (B2) Payer Sheet Template\*\*

#### GENERAL INFORMATION

Payer Name: Pharmacy Data Management, Inc.	Date: July 2011
Plan Name/Group Name:	BIN: 610020 PCN: MEDD0435

#### FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	<b>M</b>	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	<b>R</b>	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	<b>RW</b>	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes
NOT USED	<b>NA</b>	The Field is not used for the Segment in the designated Transaction.	No

Question	Answer
What is your reversal window? (If transaction is billed today what is the timeframe for reversal to be submitted?)	120 DAYS

#### CLAIM REVERSAL TRANSACTION

The following lists the segments and fields in a Claim Reversal Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Transaction Header Segment Questions	Check	Claim Reversal <i>If Situational, Payer Situation</i>
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used	X	



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

Transaction Header Segment				Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN NUMBER	If more than one BIN/PCN <u>but all plans use the same segments and fields and situations</u> , enter multiple BIN/PCNs under General Information above.	M	
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
104-A4	PROCESSOR CONTROL NUMBER		M	
109-A9	TRANSACTION COUNT	1	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	01	M	
201-B1	SERVICE PROVIDER ID	NPI	M	
401-D1	DATE OF SERVICE		M	
110-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	

Claim Segment Questions	Check	Claim Reversal <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

Claim Segment Segment Identification (111-AM) = "07"				Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER		M	<i>Imp Guide:</i> For Transaction Code of "B2", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER		M	
407-D7	PRODUCT/SERVICE ID		M	
403-D3	FILL NUMBER		RW	<i>Imp Guide:</i> Required if needed for reversals when multiple fills of the same Prescription/Service Reference Number (402-D2) occur on the same day.



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Reversal	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø8-C8	OTHER COVERAGE CODE		RW	<i>Imp Guide:</i> Required if needed by receiver to match the claim that is being reversed.

**\*\* End of Request Claim Reversal (B2) Payer Sheet Template \*\***

**2.2 RESPONSE CLAIM REVERSAL PAYER SHEET TEMPLATE**  
**2.2.1 CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE**

**\*\* Start of Claim Reversal Response (B2) Payer Sheet Template \*\***

**GENERAL INFORMATION**

Payer Name: Pharmacy Data Management, Inc.	Date: July 2011	
Plan Name/Group Name: Primetime Health Plan PrimeTime Prescription Drug Plan	BIN: 610020	PCN: MEDD0435 MEDDWRAP

**CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE**

The following lists the segments and fields in a Claim Reversal response (Approved) Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.Ø.

Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

Field #	Response Transaction Header Segment	Value	Payer Usage	Claim Reversal – Accepted/Approved Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	M	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	M	
4Ø1-D1	DATE OF SERVICE	Same value as in request	M	



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

Response Message Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent	X	
This Segment is situational		

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		R	<i>Imp Guide:</i> Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	A = Approved	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction.
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Approved Message Code (548-6F) is used.
548-6F	APPROVED MESSAGE CODE		RW	<i>Imp Guide:</i> Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 5	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

	<b>Response Status Segment Segment Identification (111-AM) = "21"</b>			<b>Claim Reversal – Accepted/Approved</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used.
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.

<b>Response Claim Segment Questions</b>	<b>Check</b>	<b>Claim Reversal – Accepted/Approved If Situational, Payer Situation</b>
This Segment is always sent	X	

	<b>Response Claim Segment Segment Identification (111-AM) = "22"</b>			<b>Claim Reversal – Accepted/Approved</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

## 2.2.2 CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

### CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	

	Response Message Segment Identification (111-AM) = "20"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		R	<i>Imp Guide:</i> Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Status Segment Segment Identification (111-AM) = "21"</b>			<b>Claim Reversal – Accepted/Rejected</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.



Pharmacy Data Management, Inc.  
1170 E. Western Reserve Road  
Poland, Ohio 44514

Response Claim Segment Questions	Check	Claim Reversal - Accepted/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

### 2.2.3 CLAIM REVERSAL REJECTED/REJECTED RESPONSE

#### CLAIM REVERSAL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal - Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal – Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Message Segment Segment Identification (111-AM) = "20"</b>			<b>Claim Reversal – Rejected/Rejected</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
504-F4	MESSAGE		R	<i>Imp Guide:</i> Required if text is needed for clarification or detail.

<b>Response Status Segment Questions</b>	<b>Check</b>	<b>Claim Reversal - Rejected/Rejected If Situational, Payer Situation</b>
This Segment is always sent	X	

	<b>Response Status Segment Segment Identification (111-AM) = "21"</b>			<b>Claim Reversal – Rejected/Rejected</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.



Pharmacy Data Management, Inc.  
 1170 E. Western Reserve Road  
 Poland, Ohio 44514

	<b>Response Status Segment Segment Identification (111-AM) = "21"</b>			<b>Claim Reversal – Rejected/Rejected</b>
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used.
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.

**\*\* End of Claim Reversal (B2) Response Payer Sheet Template \*\***